

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	33	(return near5 predict\$3) and (return near3 address with (count number))	US-PGPUB; USPAT	OR	ON	2004/08/05 13:10
S2	47	(return near5 predict\$3) and (return near3 address with (count\$2 number))	US-PGPUB; USPAT	OR	ON	2004/08/04 08:53
S3	44	(return near5 predict\$3) and (return near3 address with (count\$2 number)) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2004/08/04 13:08
S4	1078	(return near3 address with (count\$2 number)) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2004/08/04 12:40
S5	36	predict\$3 same (return near3 address with (count\$2 number)) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2004/08/04 12:52
S6	646	(return near3 address with (amount times)) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2004/08/04 12:57
S7	33	predict\$3 same (return near3 address with (amount times)) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2004/08/04 13:01
S8	77	predict\$3 with return with (count\$2 number amount) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2004/08/04 13:12
S9	46	predict\$3 with return with (count\$2 number amount) and g06f\$.ipc.	USPAT	OR	ON	2004/08/04 13:02
S10	1	(return near5 predict\$3) and (return near3 address with (count\$2 number)) and g06f\$.ipc.	EPO; JPO	OR	ON	2004/08/04 13:10
S11	5	(return near5 predict\$3) and (return near3 address with (count\$2 number)) and g06f\$.ipc.	DERWENT; IBM_TDB	OR	ON	2004/08/04 13:10
S12	9	predict\$3 with return with (count\$2 number amount) and g06f\$.ipc.	EPO; JPO	OR	ON	2004/08/04 13:12
S13	7	predict\$3 with return with (count\$2 number amount) and g06f\$.ipc.	DERWENT; IBM_TDB	OR	ON	2004/08/04 13:13
S14	0	(predict\$3 with return) and recursive and g06f\$.ipc.	DERWENT; IBM_TDB	OR	ON	2004/08/04 13:14
S15	0	(predict\$3 with return) and recursive and g06f\$.ipc.	EPO; JPO	OR	ON	2004/08/04 13:14
S16	71	(predict\$3 with return) and recursive and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2004/08/04 13:15

S17	8	(predict\$3 with (return near3 address)) and recursive and g06f\$.ipc.	USPAT	OR	ON	2004/08/04 13:26
S18	56	(predict\$3 with recursive) and g06f\$.ipc.	USPAT	OR	ON	2004/08/04 13:26
S19	3	(predict\$3 with recursive) and "712"/\$3?.ccls.	USPAT	OR	ON	2004/08/04 13:29
S20	5	(duplicat\$3 near5 return near3 (predict\$3 address\$2)) and "712"/\$3?.ccls.	USPAT	OR	ON	2004/08/04 13:40
S21	2	(duplicat\$3 with return with (entr\$3 predict\$3 address\$2)) not ((duplicat\$3 near5 return near3 (predict\$3 address\$2)) and "712"/\$3?.ccls.) and "712"/\$3?.ccls.	USPAT	OR	ON	2004/08/04 13:42
S22	136	return with (predict\$3 address\$2) same nested and "712"/\$3?.ccls.	USPAT	OR	ON	2004/08/04 13:43
S23	0	return with (predict\$3 address\$2) same nested and "712"/\$3?.ccls.	EPO; JPO	OR	ON	2004/08/04 13:43
S24	0	return with (predict\$3 address\$2) same nested and "712"/\$3?.ccls.	DERWENT; IBM_TDB	OR	ON	2004/08/04 13:43
S25	55	return with (predict\$3 address\$2) same nested same (count\$3 number amount incremet\$3 increas\$3) and "712"/\$3?.ccls.	USPAT	OR	ON	2004/08/04 13:44
S26	95	(compar\$4 with return near3 address) with (stack cache buffer)	US-PGPUB; USPAT	OR	ON	2004/08/04 14:27
S27	67	(compar\$4 with return near3 address) with (stack cache buffer) and g06f\$.ipc.	USPAT	OR	ON	2004/08/04 14:28
S28	32	(compar\$4 with return near3 address) with (stack cache buffer) same (count\$3 value number amount) and g06f\$.ipc.	USPAT	OR	ON	2004/08/04 15:00
S29	61	("same" identical equal) with "return address" with (count\$2 number increment\$3) and g06f\$.ipc.	USPAT	OR	ON	2004/08/04 15:02
S30	9	("3909797"   "4488227"   "5016164"   "5274817"   "5276882"   "5301325"   "5454086"   "5528753"   "5604877").PN.	USPAT	OR	OFF	2004/08/04 15:22
S31	10	"5732272".URPN.	USPAT	OR	OFF	2004/08/04 16:16
S32	15	count\$2 with maximum with allocat\$3 with new and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2004/08/05 10:39

S33	18	predict\$3 with (sav\$3 stor\$3) with ((stack near3 pointer) TOS)	US-PGPUB; USPAT	OR	ON	2004/08/05 13:05
S34	59	(return near2 address near3 (list buffer stack cache)) same (entry with pointer)	US-PGPUB; USPAT	OR	ON	2004/08/05 13:07
S35	49	(return near2 address near3 (list buffer stack cache)) same (entry with pointer) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2004/08/05 13:07
S36	10	(return near5 predict\$3) and (return near3 address with (count number)) and ring	US-PGPUB; USPAT	OR	ON	2004/08/05 13:12
S37	22	(link\$3 adj1 list) with return near2 address and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2004/08/05 14:10
S38	92	stack with tag with (identifying identifi\$6) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2004/08/05 14:11
S39	26	stack near5 tag near5 (identifying identifi\$6) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2004/08/05 14:20
S40	42	stack near5 tag near3 valid and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2004/08/05 14:20
S41	7	stack near3 tag near2 valid and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2004/08/05 14:25
S42	22	stack near6 "branch tag" and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2004/08/05 14:25
S43	267	712/233.ccls.	US-PGPUB; USPAT	OR	OFF	2004/08/05 16:52
S44	317	712/234.ccls.	US-PGPUB; USPAT	OR	OFF	2004/08/05 16:52
S45	358	712/239.ccls.	US-PGPUB; USPAT	OR	OFF	2004/08/05 16:52
S46	1	"6269436".pn.	US-PGPUB; USPAT	OR	OFF	2005/02/22 09:53
S47	0	"6269436".pn. and (stack buffer) with count\$3 with return	US-PGPUB; USPAT	OR	OFF	2005/02/22 09:54
S48	272	count\$3 with (associat\$3 correspond\$3) with return and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 09:55
S49	29	count\$3 with (associat\$3 correspond\$3) with return with (stack buffer) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 13:21
S50	5	(stack with compress\$3 same count\$3) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 13:24
S51	189	(stack with compress\$3) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 13:31
S52	15	(stack with compress\$3) and g06f\$.ipc.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 13:23

S53	31	(plurality multiple) with (instance occurrence) with address with count\$3 and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 13:27
S54	0	(plurality multiple) with (instance occurrence) with address with count\$3 with return and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 13:25
S55	8	(instance occurrence) with address with count\$3 with return and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 13:27
S56	12	(stack with compress\$3 with address) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 13:36
S57	10	(compar\$3 with "return address" with (top near3 stack)) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 13:38
S58	0	(compar\$3 with address with (top near3 stack) same compress\$3) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 13:38
S59	0	(compar\$3 with "return address" with (top near3 stack)) and g06f\$.ipc.	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 13:39
S60	14	(increment with count\$2 with return with stack) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 13:44
S62	54	(compact\$3 compress\$3) with stack same (count\$2 number) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 13:51
S63	1	compar\$3 with (return adj address\$2) same (increment\$3 near6 count\$2) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 14:20
S64	1	"occupancy counter" with stack and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 14:21
S65	377	"return address" with counter and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 14:21
S66	1	"return address" with counter with (occurrence instance) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 14:22
S67	236	return near4 (stack cache) with counter and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 14:27
S68	124	return near2 (stack cache) with counter and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 14:28
S69	14	return near2 (stack cache) with increment\$3 with counter and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 14:47
S70	10	(return near2 address) with (stack cache) with entry with count\$2 and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 14:53

S71	421	"reference counting" and g06f\$. ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 14:53
S72	3	"reference counting" with stack and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 14:54
S73	11	"reference counting" same stack and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 15:07
S74	13	count\$2 near5 duplicate near5 address and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 14:57
S75	26	(duplicat\$3 repeat\$3 identical) near7 "return address" and g06f\$. ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 15:01
S76	1	(duplicat\$3 repeat\$3 identical) with stack same (compress\$3 compact\$3) same count\$2 and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 15:02
S77	45	(duplicat\$3 repeat\$3 identical) with (address entr\$3) same (compress\$3 compact\$3) same count\$2 and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 15:05
S78	0	(duplicat\$3 repeat\$3 identical) with "return address" same (compress\$3 compact\$3) same count\$2 and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 15:06
S79	4	(duplicat\$3 repeat\$3 identical) with "return address" with count\$2 and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 15:06
S80	0	"reference counting" same "return address" and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 15:08
S81	7	reference near3 count\$3 with return near3 address and g06f\$. ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 15:57
S82	3	compar\$4 with (top near3 stack) with count\$2 with (increas\$3 increment\$3) and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 15:59
S83	12	compar\$4 with (top near3 stack) with count\$2 and g06f\$.ipc.	US-PGPUB; USPAT	OR	ON	2005/02/22 15:59
S84	284	712/233.ccls.	US-PGPUB; USPAT	OR	OFF	2005/02/22 16:17
S85	330	712/234.ccls.	US-PGPUB; USPAT	OR	OFF	2005/02/22 16:17
S86	389	712/239.ccls.	US-PGPUB; USPAT	OR	OFF	2005/02/22 16:18
S87	234	712/241.ccls.	US-PGPUB; USPAT	OR	OFF	2005/02/22 16:18
S88	95	712/242.ccls.	US-PGPUB; USPAT	OR	OFF	2005/02/22 16:18